WEJVEP BOAT WORKS

Weaver 95' Specifications

Hull Description

Planning modified deep V with tumble home transom, flared bow, lifting strakes and hard chimes.

Construction:

	3 Layers 12 mm Okume plywood on bottom		
	1 layer 1700 E-glass outside bottom impregnated with epoxy 1708		
	1 layer 1208 Kevlar outside bottom impregnated with epoxy		
	Laminated Douglas fir stringers glass encapsulated	Туре:	Sport Fisherman
	1 layer 1700 E-glass inside bottom to chine	1 9 6.	Sport I torrer muit
	1 layer 1208 Kevlar inside bottom to chine	T	TDT
	Hull side's 3 layers 6mm Okume plywood	Engines:	TBT
	2 layers E-glass outside impregnated with epoxy		
	Epoxy coated Okume from chine to sheer		
	Laminated Douglas fir battens, sheer clamp and chine	Hull:	Cold Molded
	All bilges, engine room and pump room faired and painted.	пин.	Coia ivioiaea
	3 layers 12mm Okume plywood on house sides	• .	
	2 layers 6mm Okume plywood on bridge floor	Year:	TBT
	1 layer E-glass impregnated with epoxy		
	1/4" tempered graylite 14 glass for side, back and door windows.	LOA:	97'
	A buildup of epoxy mixed with sand able faring compound and block		
	and sanded smooth.	Beam:	23′0″
	Ablative/Copolymer anti-fouling bottom paint (3 coats), using	Всин.	25 0
	"Interlux Interprotected epoxy primer system"	D.	40 C 000 I DC
	Awlgrip brass thru hulls and sea strainers in engine room and	Disp:	136,000 LBS.
	forward bilge		
	Awlgrip engine room, lazarette, forward bilge and anchor locker for	Fuel:	4000 Gallons
	enhanced visibility and easier maintenance		
	Dockside and overboard pump outs for holding tank	Water:	550 Gallons
	Awlcraft high gloss polyurethane boot stripe in Green and Orange	vviici.	000 Gillotto
	Hatches, one (1) Bomar, fore-deck hatch with Ocean Air screen shade	1111.	TDD
Ш	system	Hull:	TBD
	Spray able faring compound applied and sanded smooth		
	6 primer coats of paint	Color:	TBT
	Finish Paint- Custom color in Awlcraft 2000		
	I mish I amit- Custom Color in Aswiciant 2000		

Interior cabinetry and doors to be custom crafted, wood to be determined from builder's selection. Woodwork will be satin finish throughout The Cabinetry is to be constructed with combination of plywood, Divinycell, tri-cell and Nida-core. Countertops to be KVF or Granite Brushed Nickel hardware is to be used throughout. Wood flooring where specified to be selected by owner All hardware metal finishes satin nickel throughout Designer bedspreads for all beds Designer carpet, nylon fibers \$40.00 per yard allowance Designer fabrics by Kravet \$40.00 per yard Designer shams (2) per stateroom (3 for VIP forward layout) Battery operated remote blinds in Salon and Enclosed Bridge Throw pillows throughout including designer cords and fringes UltraLeather seating in Salon, Master Stateroom, Dinette and Enclosed Bridge **Exterior Finishes:** Awlgrip 2000 paint Teak covering boards Teak toe rail with varnish finish Teak trim on house Teak cockpit floor 1 1/4"solid Stainless steel rub rail Teak Bulkhead Teak Transom **General Specs:** 4000 +/- gal fuel capacity (Consider less if adequate for desired range) 550 gal water capacity 150 gal holding tank with 110v macerator pump Marine Exhaust Linear Mufflers Recessed trim tabs Live well in Transom Aluminum Fuel Tanks Powers assist hydraulic steering with 2 Pumps Oval Exhaust tips 18" bow thruster Hydraulic with 2 pumps, 1 for each engine 24000 BTU Crusair with digital control for Enclosed Bridge 16000 BTU Crusair with digital control for Mezzanine Main Salon and Galley: Sliding composite door, Teak on outside and veneer on inside, with electric Marine door □ 2 – 24,000 BTU AC Air conditioning with reverse cycle heat, temperature control and dehumidification mode, Crusair digital control with 2 thermostats 110 volt recessed lighting LED 24 volt accent rope lighting

General Interior & Decor

Tinted tempered glass
Ultra Leather sofas, Dinette, and Enclosed Bridge constructed by Costa Marine Canvas, Inc.
Air conditioning with reverse cycle heat that circulates from concealed registers behind the valances to
maximize comfort while minimizing noise and drafts – individual temperature control
Blinds battery operated with remote for desired natural lighting and additional privacy
Carpeting, wall-to-wall with lined padding for sound absorption \$40.00 per yard allowance
Cocktail table, teak, high-gloss finish-hi/low
Custom wood flooring at Salon entrance
Decorative throw pillows for sofa
Fixed, side windows with tinted, tempered glass for style, natural lighting, and privacy
Home theater center with 53" TV on a raise and lower mechanism with antenna or cable hook-up, and Bose
stereo with surround sound, aux audio input jacks to accommodate additional equipment
Lambrequins, fabric upholstered-inlaid in teak frames
Lighting, overhead LED lights recessed in headliner with dimmer switches and direct decorative rope
lighting behind valances, 24 VDC
L or U shaped lounge as determined by final layout with lift cushions for storage
2- barrel chairs
Main electrical panel with AC selector breakers
Day head by Salon door with window view
Whisper Wall headliner, owners choice of color, 1/16" foam and tricot backing
Teak cabinetry with drawers and bottle storage, finished veneer interior
Valances solid teak, fluted with solid teak blind covers
Companionway entrance located forward of dinette
Custom wood flooring in Galley
Custom galley island, 360 degree access with (2) 2 drawer refrigeration and (1) 2 drawer freezer. KVF or
Granite countertop
Stools - (5) 360 degree swivel type bar stools on aft side of galley island
Dinette table, teak, high-gloss finish with oversized teak pedestal, thru-bolted
Electric range, 4-burner cook top, surface-mounted and recessed to keep pans from sliding
Exhaust fan, high velocity designed for exterior ventilation 110 volt
Ice maker, clear ice type concealed in galley starboard side at bar area
Glass sculpture backsplash with LED lighting - \$2500 allowance
Lighting, overhead LED lights recessed in headliner with dimmer switches
Stainless Steel Microwave/convection oven located in upper galley cabinet (consider flush mount)
Sink, double-bowl stainless steel, under-mounted in KVF countertop with satin nickel galley Grohe single
lever faucet and integrated spray nozzle
Garbage disposal in sink
Fischer Paykel Dishwasher (consider 2 drawers) located near sink
Built in knife block
Storage cabinets in upper galley, varnished teak doors with finished maple interior with custom design
holders for plates, bowls, mugs etc.
Storage cabinets and drawers in lower galley, varnished teak doors and faces with stowage for utensils, and
other items
Storage above dinette
Liquor, wine and other glass storage
Water tank level gauge in port or starboard pantry
Appliances: (All Stainless Steel)
o Ice Maker – Whirlpool or Scottsman
o Refrigerator – (2) Subzero 2 drawer systems in galley & (1) 1 drawer system in Stbd pantry

Freezer – 2 Subzero 2 drawer system (1 in galley, 1 in port pantry?) 4-burner cook top with exhaust fan and pancake griddle 0 Microwave/Convection – GE or compatible Dishwasher 0 Garbage disposal 0 Trash Compactor 0 Oven – GE or compatible 24" Coffee system built in (starboard pantry) **Port Pantry** Port side aft of companionway stairs Freezer 2 drawers Printer/Scanner/Fax **Storage Cabinets** Starboard Pantry/Laundry room/ coffee bar 24" Coffee Station system built in 1 deep Refrigerator drawer Toaster or built in toaster oven Cabinets for mugs Full sized Washer & Dryer raised with storage below Storage for soap etc. Companionway: Whisper Wall system Awlgrip bilge areas with access hatches, snow white and lighted for easier maintenance and cleaning Carpeting, carpeted steps from galley through companionway \$40 per yard allowance Central vacuum unit connection with accessories Lighting, overhead LED lights recessed in headliner Linen storage for all Guest rooms

Master Stateroom aft, full beam: ☐ King style walk around bed with custom coil mattress with drawers and cedar lined storage underneath with gas cylinder lift. Headboard, upholstered with Gun storage behind Sofa long enough to sleep on – 6'max Desk/vanity on other side Side window above sofa and desk Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows 16000 BTU Crusair - Digital control 110v recessed lighting or LED 24v accent rope lighting Private access to Master head (consider motoryacht style his and hers with connecting shower aft of king bed) Carpet on floors with a \$40.00 allowance Bedspread – quilted, designer style (2) Cedar lined closets, forward, twin maple-lined hanging closets with teak doors Decorative LED indirect rope lighting from underneath bed platform Drawer storage under bed, (2) large drawers, for forward and aft bank End tables each side of bed with 110V duplex outlets, one drawer and storage cabinet below Lighting, overhead LED lights recessed in headliner with dimmer switches Whisper Wall headliner, owners color selection, 1/8" foam and tricot backing Extra sound insulation from engine room Mattress, Nice Handcraft, Innerspring System Pillow shams (2), with throw pillows Reading lights, overhead with separate switches Telephone outlet TV, 42" LCD flat screen with surround sound In wall electronic safe with standard code settings **Master Head:** Fresh Water Flush Raritan Atlantes Head □ Private toilet Custom fiberglass shower with Grohe faucet and Rule 800 sump pump Wallpapered walls ☐ Air conditioning/heat with register Custom wood flooring Exhaust fan with vent in soffit One-piece molded bone Corian countertop with rounded edges and double sinks with satin nickel faucet Lighting, overhead LED lights recessed in soffit and in ceiling Linen Storage with shelves and mirrored door in master head Lower vanity with curved teak face (what's this) One piece custom frameless shower doors with exterior lock Medicine cabinet with mirrored doors Mirror around upper vanity insert Duplex Receptacle, 120V - GFCI, his and her side Shower light

(easy access to all shower sumps for maintenance)

Stall shower, fiberglass with satin nickel shower fixtures and with drain to automatic sump pump in bilge

VIP Stateroom (2 port side): King or Queen style walk around bed with coil mattress with drawers and cedar lined electric lift storage underneath Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows, with 40-yard material allowance. Cedar lined hanging locker 32" Flat Screen TV with DTV receivers for each room 16000 BTU Crusair with digital control 110v-recessed lighting Rope lighting under toe kick of the bed 24v accent lighting Whisper Wall system Carpeted floors with a \$40.00 allowance Bomar hatch with screen and shade in both rooms Air conditioning/heat with temperature control Bedspread - quilted, designer style Decorative LED indirect rope lighting from underneath bed platform Hanging locker, teak, cedar-lined with bar for hanging clothes Lighting, overhead LED lights recessed in headliner with dimmer switches Whisper Wall headliner, owners choice color, 1/8" foam and tricot backing Pillow shams (2) Reading lights with separate switches Storage cabinets, port and starboard sides of bed, teak VIP Head (2): Access from Aft port Stateroom is private ensuite. Forward port stateroom is private ensuite but has shared access with Stbd fwd kids/spare bunkroom. Freshwater Flush Raritan head Ensuite heads have separate showers Wallpapered walls Air conditioning/heat with register Custom wood flooring Exhaust fan with vent in soffit One-piece molded bone Corian countertop with rounded edges and single sink with satin nickel faucet Lighting, overhead LED lights recessed in soffit and in ceiling Linen Storage with shelves and mirrored door Lower vanity with curved teak face Medicine cabinet with mirrored doors Mirror around upper vanity insert Receptacle, 120V - GFCI Shower light Stall shower, fiberglass with satin nickel shower fixtures and with drain to automatic sump pump in bilge Towel bar and ring - satin nickel

Towel bar and ring – satin nickel

Guest Quarters (3 starboard side): "Stew" stateroom aft has 2 crisscross bunk beds with ensuite head. Center stateroom has bottom full size bed with single above (consider if this can be centerline double) with ensuite head. Bowmar hatches for these two rooms *This would be an extra charge* Forward stateroom has over/under bunk bed, (kids room or extra crew room) and has access to the port VIP head in the bow. Removable bed rails in bunk rooms Under bed storage in all three rooms (hinged). Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows, with 50 yard material allowance. 19-20" Flat Screen TV in aft stateroom and 32" in center stateroom Whisper Wall system Carpeted floors with a \$40.00 allowance Air conditioning/heat with temperature control Bedspread – quilted, designer style with (2) pillow shams Decorative indirect rope lighting from underneath bed platform and behind valances Hanging locker, teak, cedar-lined with bar for hanging clothes Lighting, overhead LED lights Whisper Wall headliner, owners choice color, 1/8" foam and tricot backing Room for pack and play crib if possible (stewardess room aft probably) Guest Head (2): Freshwater Flush Raritan head ☐ Wallpapered walls Ensuite access from Stew and center Guest Quarters Air conditioning/heat with register Custom wood flooring Exhaust fan with vent in soffit One-piece molded bone Corian countertop with rounded edges and single sink with satin nickel faucet Lighting, overhead LED lights recessed in soffit and in ceiling Linen Storage with shelves and mirrored door Lower vanity with curved teak face One piece custom frameless shower doors with exterior lock Medicine cabinet with mirrored doors Mirror around upper vanity insert Receptacle, 120V - GFCI Shower light Stall shower, fiberglass with satin nickel shower fixtures and with drain to automatic sump pump in bilge Towel bar and ring – satin nickel **Enclosed Fly bridge (EB):** Air conditioning with reverse cycle heat, temperature control and dehumidification mode Electrical panel for electronics (16 breakers) Cabinetry and furniture manufactured of teak hardwood and veneers and furniture finish Baby ostrich headliner (gelato) Carpeted floors with a \$40.00 allowance Central vacuum unit connection with hose fittings

	Cocktail table- mappa burl, fixed pedestal mounted
	Defoggers
	Fixed side and aft windows
	Fuel Transfer switch with flow indicator lights
	Forward control station with all necessary control switches, lighted instruments and engine controls
	Back-up engine controls supplied by engine manufacturer
	Interior staircase from salon with privacy hatch at top of stairs
	High Water Alarms
	Bilge pump lights
	Genset indicator light
	110-volt electrical outlet
	Sportfish size steering wheel
	Overhead recessed LED lighting
	Gauges/electronic displays, include hour meter reading for main engines supplied by manufacturer
	(1) Stidd Helm and (2) companion bench seats. Make outboard ends of companion seats lounge seats toward
	dashboard
	Refrigerator, Coffee maker, mini sink, liquor storage, ice maker
	Telephone outlet
	Large U shaped soft with coffee table and custom designed rod storage underneath
	TV- 40" HD flat screen on lift mechanism
	Under helm access with lights and storage room
	Raised, wrap-around helm console with black ultra-leather surfaces and visor to reduce glare and access to
	all electrical components
	Windshield, laminated, curved, safety glass
	Windshield wipers, electric with intermittent controls, washers and defoggers
	Weatherproof lockable exterior doors
EB Af	t deck:
	L shaped bench and dining table. Table will lower to make a lounge/bed with extra cushion inserted
	Pod-style aft docking station with single lever controls, integrated bow thruster buttons, and engine
	start/stop switches, located at starboard side of fly bridge overhang
	Two 15" Monitors to be installed by owner
	Outrigger and teaser controls
	Anodized aluminum aft railing with (12) rocket launchers
	Fresh water wash down under seat
	Overhead RWB LED lighting controllable here and from cockpit
	Day head
	Hatch in overhang with ladder and access to skybridge
Skv B	ridge (Hard Top) (SB):
011y 2	
	Custom Molded Hardtop, anodized aluminum pipe, (4) antenna, Stands-off, no halyards,
	(3) Helm chair teak large 20 x 23 (if possible)
	Center Captain's helm chair and helm is placed aft for cockpit visibility and secondarily forward visibility
	(2) additional helm chairs either side and slightly forward of Captain's chair
	Helm Cushion Set- Tapered Rollover 20 x 23
	No-Rock Slide 4"
	4" No holt Stainless Steel nedestal

Helm chair covers
Custom helm pod with centerline aft enough for cockpit visibility
Single lever electronic controls with thruster buttons
Teak, ladder back with 4" stainless pedestals and removable cushions and covers either Release or Murray
(8) Hardtop Lights, I2 Systems, w/ fiberglass recess tri-color LED
Recessed electronics box in console for custom electronics package that is easily viewable and protected from
the elements by Teak fitted lid with gasket and stainless steel gas pistons
Minimize height of instruments so as not to obstruct forward visibility
Recessed radio boxes, large radio boxes on port and starboard sides of console with switch panel inside with
dual VHF's supplied by owner
Drop down electronics box for engine instruments and autopilot controller
Trim tab control switch mounted at console
Instrumentation based on standard engine package, lighted with switches in radio box
Bow legs to be 3"
Overhead safety rails to navigate skybridge
Fire system control with automatic and manual discharge and override system located at console
Control Hydro-riggers - Layout Only with Hydraulic Locking System installed on side of house
(1) Radar Pod Bullet Style #973, w/Sliding Door for (4) Teaser Reels
(4) Miya Super 9 teaser reels mounted overhead
One center Rupp rigger
One flagstaff aft
Add sink/relief tube
Anodized Aluminum (8) Rod Holder Polished Weld(?) to Rail New Style(?)
(1) Bridge Rail, Leg to Leg, Double Aft to Inner Main Leg
Fresh water outlet for forward locker
Refrigerated drink box with drain
Handrails, brushed aluminum effectively positioned above ladder to bridge at helm
Lighted Ritchie compass, large and flush-mounted on centerline
Permanent back rests forward and aft on side benches with slight amount of back tilt
Center forward facing bench forward of helm is a lounge with storage underneath
Cup Holders adjacent to all seats
Spinning rod storage below benches
Non-skid deck for traction and durability
Port & Stbd Nav lights molded into top
Stern light molded
Stand alone anchor light
Grab rails
(2) Trumpet style air horns
(3) 15" screen supplied by owner
(1) Molded 2 in 1 24V LED Spreader Light Pod w S/S Bezel
(2) Antenna Mount Sat TV Dome 708 molded fiberglass supplied by owner

Forward deck:	
	(2) Handrails full length Salon Window painted with Awlgrip Larger Anchor locker with drain Fresh water-wash down in anchor locker Fortress Anchor with 30' chain and 300ft of ¾ nylon rope
	(1) Stainless custom pulpit for anchor Consider design of anchor to be under bow with stainless steel protection Non-skid walk area Cleats –(2) 18" bow, (2) 18" stern, and (6) 15" spring
	 (5) Bowmar hatches with shade and screen (2 port VIP, 1 bow head, 1 stbd center, 1 stew) (1) Windless system (1) 1500 lb. Marquipt hydraulic Davit rotate up and down (1) consider 2200 lb. Nautical structures crane
Raised	l Mezzanine dining Deck:
	"L" shaped dinette couch to port with 24"x48" (minimum) high/low table that lowers to create a 5' x 7' (thereabouts) lounge/bed with storage underneath. If layout allows with forward facing bench (or pull up chairs) to allow for up to 6-8 seated for a meal. (4) recessed air circulation vents Starboard side TV mounted on wall above wet bar. Wet bar sink and liquor storage Ladder to EB aft deck Electronic Salon door
Cockp	it:
	(6) Clearing Rod Holder Polished Aft Legs 3-P-3-S New Style or built into side walls Stainless steel in deck insulated fish box with macerator pump Stainless steel bait freezer Stainless steel lined travel freezer (? Necessary with freezer in port pantry) Tackle drawers with stainless steel drawer guides
	Crew stateroom and Engine room entrance Transom door Transom mounted swim steps Removable dive/swim ladder
	Teak deck and covering boards (6) Rupp rod holders in covering boards Ice storage with Eskimo crushed ice machine (2) Recessed stereo speakers in overhang with mute switch. (Subwoofer stored elsewhere)
	Corner stainless steel hawsers in transom (2) 18" cleats (6-8) additional rod holders above backs of observation Mezzanine seats? Lazarette access 120 gal in deck live bait well
	AC ventilation in bulkhead

	Dometic spot zero water purifier
	4 underwater LED multicolor Thru-hull Sealites controllable from same location as all exterior lights
	Release Marine or Murray Brothers Fighting Chair (and below items).
	Teak seat upgrade 23 x 23 with 36" footrest
	• (1) 6- Hole chair launcher, Teak, 4 – 15 degree no bolt rod holders
	Bait tray teak – includes non-skid
	Back pad Teak – 12 degree curved
	Tackle Drawer Teak face with starboard drawer
	 Conventional offset
	Fighting chair cover
	 Aluminum backing plate, laminated in cockpit sole, for fighting chair or table
	(1) 17" screen mounted on wall to be supplied by owner
	Crew VHF or Command mike to be supplied by owner
	Cable TV and telephone connections in cabinet under port forward gunwale wired to a home runs in
	entertainment center
	RG6 TV cable to accommodate satellite system *electronics done by owner
	Phone cable is two-pair to accommodate current data phone systems *electronics done by owner
	Dockside electric connection – (2) 100 amp/220V
	Dockside water connection with pressure reducing valve in cabinet under gunwale
	Engine room access with door and ladder to crew quarters and engine room
	Fresh water wash down with hose bib located in cabinet under gunwale
	Indirect rope lighting underneath the coaming (LED)
	Ladder to EB aft deck, one-piece, anodized aluminum with teak treads
	Lazarette hatch with access to steering system, trim tabs, drain pumps
	Lighting, recessed LED deck lights in EB deck overhang
	LED deck lighting controls for all three levels
	Molded non-skid deck
	Observation mezzanine with outboard starboard and port aft facing lounge seats with Sunbrella covered
	cushions, hinged seats, tackle cabinet.
	Built in grill on port side of cockpit (stbd to docking majority)
	(4 - 6) recessed air circulation vents
	Extended EB overhang for shade
	Recessed stainless steel oversized refrigerated chill box with drain in mezzanine step for direct access from
	cockpit
	Self-bailing cockpit with large scuppers
	Stainless steel gas springs on all hatches and lids
	Stereo speakers tied into salon stereo with remote control *electronics done by owner
	Straps with padding to secure transom door and gate while open
	Transom mounted fishbox with drain
	Valve to fill freshwater tank from dockside inlet
	Consider hidden hinges on transom door, deck hatches, other places
Crews	Quarters (2rooms, 3 crew) (Aft of engine room):
	Captains stateroom to starboard with oversized single bed (use Stew room athwart ship bunk for
_	traveling)(consider single fold down bunk above)
	Crew Washer & Dryer below bed
	Crew stateroom to port with oversized single below and one drop down bunk above
	Shower and head accessible from hallway to engine room.
	,

	Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows, with 50 yard material allowance.
	19" Flat Screen TV each stateroom
	24v accent lighting
	Carpeted floors with a \$40.00 allowance
	Air conditioning/heat with temperature control
	Bedspread – quilted, designer style with (2) pillow shams
	Decorative indirect rope lighting from underneath bed platform and behind valances
	Hanging locker, teak, cedar-lined with bar for hanging clothes
	Lighting, overhead LED lights and reading light for each bed
	Whisper Wall headliner, owners choice color, 1/8" foam and tricot backing
	Storage drawers located under hanging locker
	6'5" minimum height (if space is available)
Engin	e Room and Mechanical:
	(2) 16,000 Seakeeper Gyros mounted forward of engines
	(2) 32 KW Onan Genset with Sound shield
	(2) 16V2000 M96L MTU with 2.034 to 1 ZF gear 3060A, 2635 HP
	(1) Dive compressor
	MTU Trolling Valves
	Livos or Delta T mist eliminators with fire dampers
	Aluminum stringer caps
	(4) 24-volt exhaust fans
	(2) 230-volt Mach 5 Headhunter water pump
	(2) 30 gal Indel Webesto stainless steel hot water heater
	(1) air compressor
	Todd Vac to fwd. bilge Lazarette engine room
	110 volt and 24 volt engine room lighting
	Sentry battery chargers 1- 240 volt 60 amp & 1- 24volt 10 amp
	Racor filters – dual on engines – single on generators
	Batteries - 8 (eight) group 27 and 2 (two) 12volt Gell-cell group 31
	Battery switches – Blue Sea Systems 660 amp rotary switches
	Crusair compressor for drink box and cockpit freezer
	Crusair compressor for travel freezer
	4 bilge pumps – 3 with high water alarms
	Sea strainer on Gensets
	24-volt salt water-wash down pump with strainer
	Fuel sight gauges
	Water and holding tank gauges
	External sea strainers for main engine pick-ups
	Fire suppression system, automatically and manually operated and tied into main engine and generator
	ignition and ventilation systems with override
	Racor fuel transfer, 24 VDC pump Oberdorfer, touch-screen control panels
	Hour meters on generators
	Internal sea strainers for generator, and all other sea water pickups
	Mufflers - engines, in-line type with surge tubes in engine room
	Mulfilers – generators, gas/water separators Multi-stage speed 110V AC fresh water system with an deak fresh water fill and seeknit deakside symply
	Multi stage speed 110V AC fresh water system with on deck fresh water fill and cockpit dockside supply inlet with pressure reducing valve

	Oil changing system, gear type pump for main engines, transmissions, and generator with pump out line run to cockpit locker
	PEX plumbing, fresh water system with manifold system to isolate individual areas
	Propellers, Class "S" pitch tolerance (ISO 484/2) and dynamic balancing. Advanced design cambered blade
	sections for optimum performance. Interceptors strips to adjust engine load. Nibral alloy for maximum
	durability.
	Racor fuel/water separator filters for main engines and single for generator. Clear bowl type, top-loading for
	convenient replacing
	Rudders, stainless, composite rudder bearing with dripless seal laminated into hull
	Seacocks, bronze, ball-type sea valves for all thru- hulls below the water line - Awlgrip snow white
	Shafts – (2) 3 ½" Aquamet high-strength stainless steel, double-taper with machined keyway
	Struts – thru-water, stainless steel Nibral, composite bearings
	Tides Marine water lubricated dripless shaft seals with crossover water supply from both engines
	Trim tabs, port and starboard tabs recessed in transom, individual controls for each tab with fiberglass
	covers
	Extra Insulation on the engine room bulkhead.
ъ .	
Kunn	ing Gear:
	Flush mount stainless steel struts
	2 (two) Aquamet 22, 3½" shafts
	4 to 5 blade Nibral propellers Michigan
	2 (two) 2 ¾" Stainless steel rudders
	Dripless rudder ports and glands by Tides Marine
	Shaft tube with dripless shaft seals by Tides Marine
	Custom raw water sea chest-grate
	Custom full Muter sea chest grate
Plumb	ping:
	(2) Spectra 1000 Super Quiet water maker
	Dometic spot zero water purifier
	(2) Eskimo crushed icemaker with one feed to fish box, and one feed to Mezzanine.
	Hot & cold water supply
	(2) Indel Webesto 30 gal stainless steel hot water heater
	(2) 230-volt Grundfos water pumps
	Fresh water filter – paper
	Fresh water supply in engine room for general maintenance and cleaning
	550 gal built in fresh water tank
	150 gal Holding tank
	Rule 2000 pumps for showers with 15 gal tank and float switch
Electri	ical:
	Wired to ABYC standards All Wires to be labeled at each end
	(2) 100 amp AC shore power cords
	Phone and cable outlet
	Paneltronics Panels
	Dynaplate Marine bonding system
	Transom mounted zinc
	All necessary wiring to supply all specified 110 volt and 220 volt systems

	Crusair, Eskimo Ice, water maker, dryer and water heater systems to be 220 volt
	24V DC ship's service throughout
	240/120V AC power supply
	110V outlets in engine room on aft bulkhead and additional as needed
	Anchor light/navigation lights
	Batteries, (2) independent 24V banks mounted in fiberglass storage boxes, maintenance free
	Battery chargers, (2) with thermal cutoff and switching system for complete integration
	Battery distribution panels with battery cutoff for ship service batteries and engine batteries
	Bonded electrical system with ground plate
	Dimmers, DC LED interior lighting throughout excluding companionway
	Engine room lights, recessed AC and DC with switch at engine room entrance
	Lighting, overhead LED lights recessed in ceiling and rope style décor lights concealed by teak valances
Misce	ellaneous:
	Anchor – Stainless Steel in bow pulpit
	Anchor locker with access from foredeck
	Anchor rode, 300' with 30' of chain
	Awlgrip bilge areas with access hatches, snow white and lighted using magnetic switches for easier
	maintenance and cleaning
	Fire extinguishers (6)
	Fresh water wash down at bow in anchor locker
	Holding tank monitor
	Side-mounted grab rails, powder-coated aluminum that follows the window line
	Stainless steel bow, spring and stern cleats thru-bolted to aluminum backing plates
	Zinc on transom
	Drink holders Cockpit, Observation mezzanine, EB aft deck, EB, Skybridge
	Bow rail (discuss)

Electronics:

All electronics are to be supplied and installed by the owner's agent above and beyond the contract.